

XSHOCKER™

LIVESTOCK PROD

Your Loyal Farm Mate

Item No.	Description
XPH23B	23"(58cm) Prod w/Shaft, Shaft Length 13"(33cm)
XPH33B	33"(84cm) Prod w/Shaft, Shaft Length 23"(58cm)
XPH38B	38"(96cm) Prod w/Shaft, Shaft Length 28"(71cm)
XPH43B	43"(109cm) Prod w/Shaft, Shaft Length 33"(84cm)
XPH53B	53"(134cm) Prod w/Shaft, Shaft Length 43"(109cm)
XPRBH23B	23" Rechargeable Prod w/Shaft, Shaft Length 13"
XPRBH33B	33" Rechargeable Prod w/Shaft, Shaft Length 23"
XPRBH38B	38" Rechargeable Prod w/Shaft, Shaft Length 28"
XPRBH43B	43" Rechargeable Prod w/Shaft, Shaft Length 33"
XPRBH53B	53" Rechargeable Prod w/Shaft, Shaft Length 43"
XPHANDLE-B	Prod Handle Only, w/4 "C" Alkaline Batteries
XPRBHANDLE-B	Rechargeable Prod Handle Only, w/Wall Charger
XPBATT	"C" Alkaline Batteries Set, 4 pcs Minimum
XPRB-PACK-B	Rechargeable Batteries Pack
XP110/240V-B	110/240V Wall Charger
XP12V-B	12V Car Charger

XSHOCKER™

LIVESTOCK PROD

Your Loyal Farm Mate

FEATURES

Solid State Shock Generator
 Rechargeable Batteries Inside
 Lasts For 500 Charging Cycles
 5 Flexible Shafts Available
 Safe Lock Button Design
 No Accidental Shock



Farmates Electronics Inc.
www.farmates.com
 Made in China



Farmates Electronics Inc.
www.farmates.com



Keep tip clean.
 Moisture, manure etc
 will short out the points
 and weaken the shock

13", 23", 28", 33" and 43"
 interchangeable
 shafts are available

OPERATING INSTRUCTION:

1. Wrap strap around your wrist
2. Swift to "ON" position
3. Press Trigger
4. Make contact with animals
5. Release trigger
6. Swift to "OFF" position

RECHARGEABLE BATTERIES PACK:

- Do remember to charge the handle unit when the batteries being low, until the red LED light in charger turn green.
- Replace a new rechargeable batteries pack after 500 charging cycles. screw off the fastening-screw, take off old batteries pack, install a new one.
- Handle unit is waterproof, however, if dropped in wet area, remove batteries pack, clean and dry handle unit and install batteries pack again before next using.

HANDLE UNIT:

- Unit is sealed and cannot be opened! tampering with the internal mechanism will void warranty.
- Make sure rubber sealing ring on shafts and battery pack are not damaged.
- Replace if necessary.

SHAFT:

- Attach shaft to handle unit.
- Align metal prongs in handle unit to slots on shaft.
- Tighten collar nut.

WARNINGS:

1. Electric Livestock Prod Designed to use on large livestock only (cattle and hogs). minimum use is encouraged. Do not hit animals with shaft or handle.
2. Keep away from children.
3. Do not use on humans.
4. Do not use near flammable material or near domestic animals. Use in ventilated areas.
5. Keep dry! Always remove batteries (pack) before cleaning or drying.
6. After use, always switch to "OFF" position.
7. Always use the shaft long enough to maintain a safe working distance.

WARRANTY:

XSHOCKER™ electric livestock prod handles have a warranty for one full year from the date of purchase. The warranty included workmanship & material malfunction but does not include physical damage or tampering. Shaft and batteries are NOT under warranty.



XSHOCKER™
Farmates Electronics Inc.
www.farmates.com
Made in China

XSHOCKER™

— Your Royal Farm Mate

XSHOCKER™ Shafts for Electric Livestock Prod
Designed to help move large farm animals

- Extremely resilient plastic
- 5 Interchangeable Shafts Available
- Reinforced Collar nut

XPS13 XPS23 XPS28 XPS33 XPS43



WARNINGS:

1. Electric Livestock Prod Designed to use on large livestock only (cattle and hogs). minimum use is encouraged. Do not hit animals with shaft or handle.
2. Keep away from children.
3. Do not use on humans.
4. Do not use near flammable material or near domestic animals. Use in ventilated areas.
5. Keep dry! Always remove batteries (pack) before cleaning or drying.
6. After use, always switch to "OFF" position.
7. Always use the shaft long enough to maintain a safe working distance.

Shaft Sizes:

XPS13	13 inches	-----	33cm
XPS23	23 inches	-----	58cm
XPS28	28 inches	-----	71cm
XPS33	33 inches	-----	84cm
XPS43	43 inches	-----	109cm



